

Section 1 - PRODUCT AND COMPANY IDENTIFICATION**Material Name**

Safety-Kleen MIL-PRF-680 Type III Solvent

Product Code

Not available.

Synonyms

Parts Washer Solvent; High Flash Degreasing Solvent; Petroleum Distillates; Petroleum Naphtha; Naphtha Solvent; Mineral Spirits

Product Use

Cleaning and degreasing metal parts. Product meets Department of Defense degreasing solvent performance specification MIL-PRF-680C Type III. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

Restrictions on Use

For industrial use only.

Manufacturer Information**MANUFACTURER/SUPPLIER**Safety-Kleen Systems, Inc.
2600 North Central Expressway
Suite 200
Richardson, TX 75080
www.safety-kleen.com**IMPORTER/DISTRIBUTOR**Safety-Kleen Canada, Inc.
25 Regan Road
Brampton, Ontario, Canada L1A 1B2Phone: 1-800-669-5740
Emergency Phone #: 1-800-468-1760**Issue Date**

February 14, 2017

Supersedes Issue Date

New Issue SDS

Original Issue Date

February 14, 2017

Section 2 - HAZARDS IDENTIFICATION**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

Aspiration Hazard - Category 1

Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Eye Irritation - Category 2A

GHS Label Elements**Symbol(s)****Signal Word**

Danger

Safety Data Sheet

Material Name: Safety-Kleen MIL-PRF-680 Type III Solvent

SDS ID: 820251

Hazard Statement(s)

May be fatal if swallowed and enters airways.
Causes skin irritation and serious eye irritation.

Precautionary Statement(s)

Prevention

Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
68551-20-2	Alkanes, C13-16-iso-	90
112-30-1	1-Decanol	10

Section 4 - FIRST AID MEASURES

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop or persist, get medical attention.

Skin

IF ON SKIN: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Eyes

Flush eyes with plenty of water for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

Most Important Symptoms/Effects

Acute

May be fatal if swallowed and enters airways. Causes serious eye irritation. Causes skin irritation.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, regular foam, dry chemical, water spray, Class B/C or Class A/B/C fire extinguisher.

Safety Data Sheet

Material Name: Safety-Kleen MIL-PRF-680 Type III Solvent

SDS ID: 820251

Unsuitable Extinguishing Media

Do not use water jet.

Special Hazards Arising from the Chemical

Negligible fire hazard.

Hazardous Combustion Products

None identified.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Do not touch or walk through spilled product. Stop leak if you can do it without risk. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain spill away from surface water and sewers. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place in a container for later disposal.

Environmental Precautions

Avoid release to the environment. Do not release large quantities into the surface water or into drains.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from heat, sparks and naked flames. Use clean, sparkproof tools and explosion-proof equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Use in a well ventilated area. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

Store locked up.

Store in a cool dry place. Keep containers away from heat, flame, sparks, static electricity, or other sources of ignition.

Incompatible Materials

Strong oxidizing agents

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

Safety Data Sheet

Material Name: Safety-Kleen MIL-PRF-680 Type III Solvent

SDS ID: 820251

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

Respiratory Protection

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

Glove Recommendations

Wear appropriate chemical resistant gloves.

Protective Materials

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, gloves, lab coat or apron.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Colorless liquid	Physical State	Liquid
Odor	Mild	Color	Colorless
Odor Threshold	Not available	pH	Not available
Melting Point	Not available	Boiling Point	233 - 291 °C
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	102 °C (215 °F)
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	Not available	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	4 mm ² /s 40 °C

Safety Data Sheet

Material Name: Safety-Kleen MIL-PRF-680 Type III Solvent

SDS ID: 820251

Solubility (Other)	Not available	Density	0.804 at 16 °C (60 °F)
Physical Form	Liquid	Molecular Weight	Not available
Volatile Organic Compounds (As regulated)	100 WT%; 6.7 lb/US gal; 803 g/L per 40 CFR Part 51.100(s) VOC Vapor Pressure: ≤0.4 mm Hg @20°C Product may or may not be considered photochemically reactive (100% by weight). Consult your state or local air district regulations for location specific definition.		

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable under normal temperatures and pressures.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

None known.

Incompatible Materials

Strong oxidizing agents, chlorates, nitrates, peroxides.

Hazardous decomposition products

None identified.

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

May be harmful if inhaled.

Skin Contact

Causes skin irritation. Repeated exposure may cause skin dryness or cracking.

Eye Contact

Causes serious eye irritation.

Ingestion

May be fatal if swallowed and enters airways.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Alkanes, C13-16-iso- (68551-20-2)

Oral LD50 Rat >10000 mg/kg

1-Decanol (112-30-1)

Oral LD50 Rat 4720 mg/kg

Dermal LD50 Rabbit 3560 mg/kg

Product Toxicity Data

Acute Toxicity Estimate

Dermal	> 2000 mg/kg
Oral	> 2000 mg/kg

Immediate Effects

Safety Data Sheet

Material Name: Safety-Kleen MIL-PRF-680 Type III Solvent

SDS ID: 820251

May be fatal if swallowed and enters airways. Causes serious eye irritation. Causes skin irritation.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

Causes serious eye irritation. Causes skin irritation.

Respiratory Sensitization

No information on significant adverse effects.

Dermal Sensitization

No information on significant adverse effects.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity

No information on significant adverse effects.

Tumorigenic Data

No data available

Reproductive Toxicity

No information on significant adverse effects.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

May be fatal if swallowed and enters airways.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Analysis - Aquatic Toxicity

1-Decanol	112-30-1
Fish:	LC50 96 h Pimephales promelas 2.2 - 2.5 mg/L [flow-through]; LC50 96 h Lepomis macrochirus 4.12 - 6.2 mg/L [static]; LC50 96 h Oncorhynchus mykiss <5.6 mg/L [static]
Invertebrate:	EC50 48 h Daphnia magna 3 mg/L IUCLID

Persistence and Degradability

Not expected to persist in the environment.

Bioaccumulative Potential

No information available for the product.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with federal, state, provincial, and local regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components

Section 14 - TRANSPORT INFORMATION

Safety Data Sheet

Material Name: Safety-Kleen MIL-PRF-680 Type III Solvent

SDS ID: 820251

US DOT Information:

Additional information: Not regulated as dangerous goods.

IMDG Information:

Additional information: Not regulated as dangerous goods.

TDG Information:

Additional information: Not regulated as dangerous goods.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories

Acute Health: Yes **Chronic Health:** No **Fire:** No **Pressure:** No **Reactivity:** No

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2017 reporting categories

Skin Corrosion/Irritation; Serious Eye Damage/Eye Irritation; Aspiration Hazard

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
1-Decanol	112-30-1	No	No	No	No	Yes

Not listed under California Proposition 65

Canada Regulations

Not Classified.

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

1-Decanol	112-30-1
	1 %

Component Analysis - Inventory

Alkanes, C13-16-iso- (68551-20-2), 1-Decanol (112-30-1)

US	CA
Yes	DSL

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 2 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

New SDS 2-17-17.

Safety Data Sheet

Material Name: Safety-Kleen MIL-PRF-680 Type III Solvent

SDS ID: 820251

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CPR - Controlled Products Regulations; DOT - Department of Transportation; DSL - Domestic Substances List; EPA - Environmental Protection Agency; F - Fahrenheit; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; RCRA - Resource Conservation and Recovery Act; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, Safety-Kleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.