

Material Name: ArmaKleen MPC Cleaning Solution SDS ID: 82783

# Section 1 - PRODUCT AND COMPANY IDENTIFICATION

**Material Name** 

ArmaKleen MPC Cleaning Solution

**Product Code** 

Not available.

**Synonyms** 

Not available.

**Product Use** 

Aqueous alkaline cleaning solution for the removal of grease, oil, dirt, dust, grime, and other soils from a variety of metal and non-metal surfaces. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

**Restrictions on Use** 

For professional use only.

MANUFACTURER SUPPLIER

Church & Dwight Safety-Kleen Systems, Inc.

The ArmaKleen<sup>TM</sup> Company 2600 North Central Expressway

469 North Harrison Street Suite 200

Princeton, NJ 08543 Richardson, TX 75080 Phone: (800) 332-5424 Phone: 1-800-669-5740 www.churchdwight.com www.safety-kleen.com IMPORTER/DISTRIBUTOR

Safety-Kleen Canada Inc.

25 Regan Road

Brampton, Ontario, Canada L1A 1B2

Phone: 1-800-669-5740

**Emergency Telephone Number** 

Medical: 1-888-234-1828 Chemical: 1-800-424-9300 (CHEMTREC)

Issue Date

October 31, 2017

**Supersedes Issue Date** 

March 6, 2017

**Original Issue Date** 

July 9, 1999

# **Section 2 - HAZARDS IDENTIFICATION**

Classification in accordance with Schedule 1 of Canada's Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200 in the United States

Acute Toxicity - Oral - Category 4

Skin Corrosion/Irritation - Category 1A

Serious Eye Damage/Eye Irritation - Category 1

Skin Sensitization - Category 1A

Health Hazard Not Otherwise Classified. - Category 1

Material Name: ArmaKleen MPC Cleaning Solution SDS ID: 82783

# **GHS Label Elements Symbol(s)**





# **Signal Word**

Danger.

#### **Hazard Statement(s)**

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause allergic skin reaction.

#### **Precautionary Statement(s)**

#### **Prevention**

Do not breathe mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product.

#### Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

# **Storage**

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Do not store below 40°F.

#### **Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Statement of Unknown Toxicity

85% of the mixture consists of ingredient(s) of unknown acute toxicity.

#### Other hazards

May cause digestive tract irritation.

# Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7732-18-5	Water	90-99
497-19-8	Disodium carbonate	0.95-1.05
68439-46-3	Alcohols, C9-11, ethoxylated	0.67-0.74
3302-10-1	Hexanoic acid, 3,5,5-trimethyl	0.78-0.86
1310-73-2	Sodium hydroxide	0.33-0.36

Page 2 of 9 Rev. 10/17

Material Name: ArmaKleen MPC Cleaning Solution

#### **Section 4 - FIRST AID MEASURES**

SDS ID: 82783

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse.

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

#### **Ingestion**

IF SWALLOWED: Rinse mouth. If swallowed, do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

#### **Most Important Symptoms/Effects**

#### Acute

Harmful if swallowed. Toxic if inhaled. Causes skin burns, eye damage, allergic skin reaction. May cause respiratory irritation. May cause digestive tract irritation.

#### Delayed

Repeated exposure may cause skin dryness or cracking.

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

# **Section 5 - FIRE FIGHTING MEASURES**

# **Extinguishing Media**

# **Suitable Extinguishing Media**

Use extinguishing agents appropriate for surrounding fire.

#### **Unsuitable Extinguishing Media**

Do not use high-pressure water streams.

# **Special Hazards Arising from the Chemical**

Negligible fire hazard.

# **Hazardous Combustion Products**

Decomposition and combustion materials may be toxic. Burning may produce Carbon monoxide, Nitrogen oxide, sulfur oxides.

# Advice for firefighters

Containers may rupture or explode if exposed to heat.

#### **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Keep storage containers cool with water spray. Heated containers may rupture. "Empty" containers may retain residue and can be dangerous. Product is not sensitive to mechanical impact or static discharge.

# **Special Protective Equipment and Precautions for Firefighters**

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

# **Section 6 - ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

# Methods and Materials for Containment and Cleaning Up

Spilled product is slippery. Do not breathe dust or vapors. Do not touch or walk through spilled product. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or

Page 3 of 9 Rev. 10/17

# Material Name: ArmaKleen MPC Cleaning Solution

mist. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean, spark proof tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal.

SDS ID: 82783

#### **Environmental Precautions**

Prevent material from entering drains or sewers.

#### **Section 7 - HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Keep away from sparks or flame. Do not breathe dust or vapors. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.

# Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from heat, flame, sparks, static electricity, or other sources of ignition. Empty product containers may retain product residue and can be dangerous. Do not store below 40°F.

#### **Incompatible Materials**

Strong acids, reducing agents, oxidizers.

# Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Component Exposure Limits**

Sodium hydroxide	1310-73-2	
Canada	2 mg/m3 Ceiling	
ACGIH, OSHA, NIOSH	2 mg/m3 Ceiling	

# ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

# **Engineering Controls**

Provide general ventilation needed to maintain concentration of vapor or mist below applicable exposure limits. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below applicable exposure limits.

# Individual Protection Measures, such as Personal Protective Equipment Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

#### **Respiratory Protection**

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

# **Glove Recommendations**

Where skin contact is likely, wear gloves impervious to product; use of natural rubber (latex) or equivalent gloves is not recommended. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant face shield, boots, apron, whole body suits or other protective clothing. When product is heated and skin contact is likely, wear heat-resistant gloves, boots, and other protective clothing.

Page 4 of 9 Rev. 10/17

Material Name: ArmaKleen MPC Cleaning Solution

## **Protective Materials**

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, gloves, lab coat or apron.

SDS ID: 82783

# **Section 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Light amber clear liquid	Physical State	Liquid
Odor	Mild	Color	Clear, light amber
Odor Threshold	Not available	pH	11.5 (aqueous solution )
<b>Melting Point</b>	0 °C	<b>Boiling Point</b>	100 °C
<b>Boiling Point Range</b>	Not available	Freezing point	Not available
<b>Evaporation Rate</b>	(equal to water. )	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	>100 °C
Lower Explosive Limit	Not available	Decomposition temperature	Not available
<b>Upper Explosive Limit</b>	Not available	Vapor Pressure	17.5 mmHg @20°C
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	1
Water Solubility	(complete )	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	Not available	Molecular Weight	Not available
Volatile Organic Compounds (As Regulated)	0 WT%; 0 LB/US gal; 0 g/L; As per 40 CFR 51.100(s) Product Vapor Pressure @20°C = 17.5 mmHg Product does not contain photochemically reactive solvents		
Compounds (As	51.100(s) Product Vapor Pressure @20°C = 17.5 mmHg		

# **Section 10 - STABILITY AND REACTIVITY**

#### Reactivity

May react on contact with strong acids.

# **Chemical Stability**

Stable under normal temperatures and pressures.

## **Possibility of Hazardous Reactions**

Polymerization is not known to occur under normal temperature and pressures. Not reactive with water.

#### **Conditions to Avoid**

Avoid sparks or flame.

# **Incompatible Materials**

Avoid oxidizing agents, reducing agents, strong acids.

Page 5 of 9 Rev. 10/17

# Material Name: ArmaKleen MPC Cleaning Solution

# Hazardous decomposition products

Oxides of Carbon, Nitrogen and Sulfur. See also SECTION 5: HAZARDOUS COMBUSTION PRODUCTS.

#### Thermal decomposition products

Carbon monoxide. Nitrogen oxides (NOx). Sulfur oxides.

# Section 11 - TOXICOLOGICAL INFORMATION

SDS ID: 82783

### **Information on Likely Routes of Exposure**

#### Inhalation

May cause respiratory irritation.

#### **Skin Contact**

Causes burns. May cause allergic skin reaction.

#### **Eye Contact**

Causes eye damage.

# Ingestion

Harmful if swallowed. May cause irritation or burns.

# **Acute and Chronic Toxicity**

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

#### **Disodium carbonate (497-19-8)**

Oral LD50 Rat 4090 mg/kg; Dermal LD50 Mouse 2210 mg/kg; Inhalation LC50 Rat 2300 mg/m3 2 h

## Hexanoic acid, 3,5,5-trimethyl- (3302-10-1)

Oral LD50 Rat 1100 mg/kg; Dermal LD50 Rat >2000 mg/kg (no deaths occurred)

# Sodium hydroxide (1310-73-2)

Dermal LD50 Rabbit 1350 mg/kg

#### **Product Toxicity Data**

#### **Acute Toxicity Estimate**

Not available.

#### **Immediate Effects**

Harmful if swallowed. Toxic if inhaled. Causes burns, eye damage, skin burns. May cause allergic skin reaction. May cause respiratory irritation.

# **Delayed Effects**

Repeated exposure may cause skin dryness or cracking.

#### **Irritation/Corrosivity Data**

Causes burns. May cause digestive tract irritation.

# **Respiratory Sensitization**

Based on best current information, there is no known human sensitization associated with this product.

# **Dermal Sensitization**

May cause allergic skin reaction.

#### **Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

# **Germ Cell Mutagenicity**

Based on best current information, there is no known teratogenicity associated with this product.

Experimental evidence suggests that this product does not cause mutagenesis.

# **Tumorigenic Data**

No data available

## **Reproductive Toxicity**

Based on best current information, there is no known reproductive toxicity associated with this product.

#### Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Page 6 of 9 Rev. 10/17

# Material Name: ArmaKleen MPC Cleaning Solution

# **Specific Target Organ Toxicity - Repeated Exposure**

No target organs identified.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

# **Medical Conditions Aggravated by Exposure**

Individuals with pre-existing respiratory tract (nose, throat, and lungs), eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

SDS ID: 82783

# **Section 12 - ECOLOGICAL INFORMATION**

**Component Analysis - Aquatic Toxicity** 

Disodium carbonate	497-19-8	
Fish:	LC50 96 h Lepomis macrochirus 300 mg/L [static ]; LC50 96 h Pimephales promelas 310 - 1220 mg/L [static ]	
Invertebrate:	EC50 48 h Daphnia magna 265 mg/L IUCLID	
Sodium hydroxide	1310-73-2	
Fish:	LC50 96 h Oncorhynchus mykiss 45.4 mg/L [static ]	
Sodium silicate	1344-09-8	
Fish:	LC50 96 h Lepomis macrochirus 301 - 478 mg/L; LC50 96 h Brachydanio rerio 3185 mg/L [semi-static ]	

# **Invertebrate Toxicity**

No additional information is available.

# Persistence and Degradability

No information available for the product.

#### **Bioaccumulative Potential**

No information available for the product.

#### **Mobility**

No information available for the product.

# **Section 13 - DISPOSAL CONSIDERATIONS**

## **Disposal Methods**

The U.S. EPA has not published waste numbers for this product's components. Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact ArmaKleen regarding proper recycling or disposal.

# **Section 14 - TRANSPORT INFORMATION**

US DOT Information: Not regulated for transport.

IATA Information: Not regulated for transport.

TDG Information: Not regulated for transport.

Page 7 of 9 Rev. 10/17

**Material Name: ArmaKleen MPC Cleaning Solution** 

## Section 15 - REGULATORY INFORMATION

**SDS ID: 82783** 

## **Canada Regulations**

## **CEPA - Priority Substances List**

None of this product's components are on the list.

#### **Ozone Depleting Substances**

None of this product's components are on the list

#### Council of Ministers of the Environment - Soil Quality Guidelines

None of this product's components are on the list

### Council of Ministers of the Environment - Water Quality Guidelines

None of this product's components are on the list

# **U.S. Federal Regulations**

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Sodium hydroxide	1310-73-2
CERCLA:	1000 lb final RQ ; 454 kg final RQ

# SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: Yes Chronic Health: No Fire: No Pressure: No Reactivity: No

#### **Component Analysis - Inventory**

Disodium carbonate (497-19-8), Hexanoic acid, 3,5,5-trimethyl-(3302-10-1) Sodium hydroxide (1310-73-2),

Water (7732-18-5), Alcohols, C9-11, ethoxylated (68439-46-3),

US	CA
Yes	DSL

Not listed under California Proposition 65.

# **Section 16 - OTHER INFORMATION**

#### **NFPA Ratings**

Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe

#### **Summary of Changes**

Revision to remove Neodecanoic acid and add Hexanoic acid in its place

# Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CPR - Controlled Products Regulations; DOT - Department of Transportation; DSL - Domestic Substances List; EPA - Environmental Protection Agency; F - Fahrenheit; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts<sup>TM</sup> - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; OSHA - Occupational Safety and Health Administration; PEL-Permissible Exposure Limit; RCRA - Resource Conservation and Recovery Act; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit;

Page 8 of 9 Rev. 10/17

# Material Name: ArmaKleen MPC Cleaning Solution

UN/NA - United Nations /North American; US - United States; WHMIS - Workplace Hazardous Materials Information System (Canada).

SDS ID: 82783

#### **Other Information**

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Product Regulations (HPR) Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, ArmaKleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.

Page 9 of 9 Rev. 10/17