

# Kleen Performance Products Euro Spec PCMO, Full SAPS

Safety Data Sheet SDS ID: 820408

### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

**Material Name** 

Kleen Performance Products Euro Spec PCMO, Full SAPS

**Product Code** 

Prefix 21

**Synonyms** 

SAE 5W-40 Full SAPS European Synthetic Engine Oil

**Product Use** 

Synthetic passenger car motor oil. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

**Restrictions on Use** 

None known.

FOR PRODUCT MANUFACTURED IN THE U.S.A.:

MANUFACTURERSUPPLIER (in Canada)Kleen Performance ProductsSafety-Kleen Canada, Inc.

2600 North Central Expressway 25 Regan Road

Suite 200 Brampton, Ontario, Canada L1A 1B2

Richardson, TX 75080

FOR PRODUCT MANUFACTURED IN CANADA:

MANUFACTURER SUPPLIER (in the U.S.A.)

Kleen Performance Products

Safety-Kleen Systems, Inc.

25 Regan Road

2600 North Central Expressway

Brampton, Ontario, Canada L1A 1B2 Suite 200

Richardson, TX 75080

www.safety-kleen.com

Phone: 1-800-669-5740 Emergency Phone #: 1-800-468-1760

**Issue Date** 

July 2, 2019

Supersedes date

New Issue SDS

**Original Issue Date** 

July 2, 2019

### **Section 2 - HAZARDS IDENTIFICATION**

### Classification in accordance with Schedule 1 of Hazardous Products Regulations (HPR) (SOR/2015-17)

None needed according to classification criteria.

**GHS Label Elements** 

Symbol(s)

None needed according to classification criteria.

Signal Word

None needed according to classification criteria

**Hazard Statement(s)** 

None needed according to classification criteria.

**Precautionary Statement(s)** 

**Prevention** 

None needed according to classification criteria.

SDS ID: 820408

### Material Name: Kleen Performance Products Euro Spec PCMO, Full SAPS

#### Response

None needed according to classification criteria.

#### Storage

None needed according to classification criteria.

#### **Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Other hazards

Repeated exposure may cause skin dryness or cracking.

### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent				
64742-54-7	Petroleum distillates, hydrotreated heavy paraffinic	40-75				
Remainder of the product consists of other non-hazardous ingredients.						

### **Section 4 - FIRST AID MEASURES**

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical attention, if needed.

#### Skin

IF ON SKIN: Wash with plenty of soap and water. Get medical attention, if needed.

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

#### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

#### **Most Important Symptoms/Effects**

#### Acute

No information on significant adverse effects.

#### **Delayed**

Repeated exposure may cause skin dryness or cracking.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

### **Section 5 - FIRE FIGHTING MEASURES**

### **Extinguishing Media**

### Suitable Extinguishing Media

Carbon dioxide, regular foam, dry chemical, water spray, water fog. Water or foam may cause frothing.

#### **Unsuitable Extinguishing Media**

Do not use high-pressure water streams.

### **Special Hazards Arising from the Chemical**

Negligible fire hazard. Avoid friction, static electricity and sparks.

### **Hazardous Combustion Products**

Decomposition and combustion materials may be toxic. Burning may produce oxides of carbon and unidentified organic compounds.

Page 2 of 8 Rev. 07/19

# Material Name: Kleen Performance Products Euro Spec PCMO, Full SAPS

#### **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out.

SDS ID: 820408

### **Special Protective Equipment and Precautions for Firefighters**

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

### **Section 6 - ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

#### Methods and Materials for Containment and Cleaning Up

Remove all ignition sources. Do not touch or walk through spilled product. Stop leak if you can do it without risk. Wear protective equipment and provide engineering controls as specified in SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean, spark proof tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal.

### **Section 7 - HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Keep away from heat, sparks and naked flames. Where flammable mixtures may be present, equipment safe for such locations should be used. Use clean tools and explosion-proof equipment. Use in a well ventilated area. Avoid contact with eyes Skin clothing shoes.

#### Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Do not store at temperatures in excess of 113°F (45°C) for extended periods of time or if heat sources in excess of 250°F (121°C) are used. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from flame, sparks, static electricity, or other sources of ignition.

#### **Incompatible Materials**

Strong oxidizing materials

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Component Exposure Limits**

Canada and ACGIH have not developed exposure limits for any of this product's components.

#### ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

### **Engineering Controls**

Provide general ventilation. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls.

# Individual Protection Measures, such as Personal Protective Equipment Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

Page 3 of 8 Rev. 07/19

### Material Name: Kleen Performance Products Euro Spec PCMO, Full SAPS

#### **Respiratory Protection**

No respiratory protection is normally required. Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

SDS ID: 820408

### **Glove Recommendations**

Where skin contact is likely, wear chemical impervious protective gloves; use of natural rubber or equivalent gloves is not recommended. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant faceshield, boots, apron, coveralls, long sleeve shirts, or other protective clothing.

#### **Protective Materials**

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses. Gloves. Lab coat or apron.

### Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Amber liquid	Physical State	Liquid
Odor	Mild	Color	Amber
Odor Threshold	Not available	рН	Not available
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	129.5 °C (265 °F)
<b>Boiling Point Range</b>	Not available	Freezing point	Not available
<b>Evaporation Rate</b>	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	217°C (422 °F)
Lower Explosive Limit	Not available	<b>Decomposition temperature</b>	Not available
Upper Explosive Limit	Not available	Vapor Pressure	$<\!\!0.1$ mmHg @ 68 °F
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	0.8520 (15.6°C)
Water Solubility	Not available	Partition coefficient: n- octanol/water	Not available
Viscosity	164.9 Centistokes (25°C) 83.2 Centistokes (40°C) 13.6 Centistokes (100°C)	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	7.11 lb/gal, 0.85 Kg/l
Physical Form	Liquid	Molecular Weight	Not available

### **Section 10 - STABILITY AND REACTIVITY**

#### Reactivity

No reactivity hazard is expected.

#### **Chemical Stability**

Stable under normal temperatures and pressures.

Page 4 of 8 Rev. 07/19

### Material Name: Kleen Performance Products Euro Spec PCMO, Full SAPS

### **Possibility of Hazardous Reactions**

Will not polymerize.

#### **Conditions to Avoid**

Avoid heat, flames, sparks and other sources of ignition

#### **Incompatible Materials**

Avoid oxidizing agents.

#### **Hazardous decomposition products**

None under normal temperatures and pressures. See also SECTION 5: HAZARDOUS COMBUSTION PRODUCTS.

SDS ID: 820408

### Section 11 - TOXICOLOGICAL INFORMATION

### **Information on Likely Routes of Exposure**

#### Inhalation

No information on significant adverse effects.

#### **Skin Contact**

Repeated exposure may cause skin dryness or cracking.

### **Eye Contact**

May cause eye irritation.

#### **Ingestion**

May cause gastrointestinal irritation, nausea, vomiting, diarrhea.

#### **Acute and Chronic Toxicity**

### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

#### Petroleum distillates, hydrotreated heavy paraffinic (64742-54-7)

Oral LD50 Rat >15 g/kg (no deaths occurred ); Dermal LD50 Rabbit >5000 mg/kg (no deaths occurred )

#### **Product Toxicity Data**

### **Acute Toxicity Estimate**

Dermal	> 2000 mg/kg
Oral	> 2000 mg/kg

#### **Immediate Effects**

No information on significant adverse effects.

#### **Delayed Effects**

Repeated exposure may cause skin dryness or cracking.

### **Irritation/Corrosivity Data**

May cause eye irritation. Repeated exposure may cause skin dryness or cracking.

### **Respiratory Sensitization**

No information available for the product.

#### **Dermal Sensitization**

No information available for the product.

### **Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

#### **Germ Cell Mutagenicity**

No information available for the product.

### **Tumorigenic Data**

No data available

#### **Reproductive Toxicity**

No information available for the product.

Page 5 of 8 Rev. 07/19

### Material Name: Kleen Performance Products Euro Spec PCMO, Full SAPS

### Specific Target Organ Toxicity - Single Exposure

No target organs identified.

### **Specific Target Organ Toxicity - Repeated Exposure**

No target organs identified.

### **Aspiration hazard**

No information on significant adverse effects.

#### **Medical Conditions Aggravated by Exposure**

Individuals with pre-existing respiratory tract (nose, throat, and lungs), eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

SDS ID: 820408

#### **Additional Data**

No additional information is available.

### **Section 12 - ECOLOGICAL INFORMATION**

### **Component Analysis - Aquatic Toxicity**

Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7		
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L		
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID		

#### **Persistence and Degradability**

No information available for the product.

#### **Bioaccumulative Potential**

No information available for the product.

#### **Mobility**

No information available for the product.

### **Section 13 - DISPOSAL CONSIDERATIONS**

### **Disposal Methods**

Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact Kleen Performance Products regarding proper recycling or disposal.

### **Section 14 - TRANSPORT INFORMATION**

**US DOT Information:** Not regulated for transport. **IATA Information:** Not regulated for transport. **IMDG Information:** Not regulated for transport. **TDG Information:** Not regulated for transport.

#### **International Bulk Chemical Code**

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

### **Section 15 - REGULATORY INFORMATION**

### **Canada Regulations**

#### **CEPA - Priority Substances List**

None of this product's components are on the list.

Ρ

age 6 of 8 Re	٧. (	07	/1
---------------	------	----	----

### Material Name: Kleen Performance Products Euro Spec PCMO, Full SAPS

### **Ozone Depleting Substances**

None of this product's components are on the list.

#### Council of Ministers of the Environment - Soil Quality Guidelines

None of this product's components are on the list.

### **Council of Ministers of the Environment - Water Quality Guidelines**

None of this product's components are on the list.

#### **Further information**

This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR.

SDS ID: 820408

#### **U.S. Federal Regulations**

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

### SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactivity: No

### **Component Analysis - Inventory**

Petroleum distillates, hydrotreated heavy paraffinic (64742-54-7)

US	CA	AU	CN	EU		JP - ENCS	JP - ISHL		KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	E	IN	Yes	Yes		Yes	No
KR - REACH CCA		A N	МΧ	NZ	PH	TH- TECI	TW	VN (Draft)		
No		No Yes Yes Yes		Yes	No	Yes	Yes			

### **Section 16 - OTHER INFORMATION**

#### **NFPA Ratings**

Health: 1 Fire: 1 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

#### **Summary of Changes**

New Issue SDS.

#### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition

Page 7 of 8 Rev. 07/19

Material Name: Kleen Performance Products Euro Spec PCMO, Full SAPS

coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts<sup>TM</sup> - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

SDS ID: 820408

#### **Other Information**

#### Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, Kleen Performance Products assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.

Page 8 of 8 Rev. 07/19