

Material Name: ArmaKleen 4 in 1 Cleaner – Cleaning Solution SDS ID: 820070

# **Section 1 - PRODUCT AND COMPANY IDENTIFICATION**

**Material Name** 

ArmaKleen 4 in 1 Cleaner – Cleaning Solution

**Product Code** 

Not available.

**Synonyms** 

Not available.

**Product Use** 

Aqueous, alkaline cleaner that has been diluted with water for cleaning aluminum, magnesium, titanium, ferrous and non-ferrous alloys as well as plastic, glass, and composite materials. If this product is used in combination with other products, refer to the Safety Data Sheet for those products.

**Restrictions on Use** 

For professional use only

Details of the supplier of the safety data sheet

MANUFACTURER SUPPLIER (in the U.S.A.) SUPPLIER (in CANADA)
Church & Dwight Safety-Kleen Systems, Inc. Safety-Kleen Canada Inc.

The ArmaKleen™ Company 42 Longwater Drive 25 Regan Road

469 North Harrison Street Norwell, MA 02061-9149 Brampton, Ontario, Canada L7A 1B2

Princeton, NJ 08543 Phone: 1-800-669-5740 Phone: 1-800-669-5740

Phone: (800) 332-5424 www.safety-kleen.com

www.churchdwight.com

**Emergency Telephone Number** 

Medical: 1-888-234-1828 Chemical: 1-800-255-3924 (CHEMTEL)

**Issue Date** 

May 5, 2021

**Supersedes Issue Date** 

March 21, 2021

**Original Issue Date** 

October 22, 2009

# **Section 2 - HAZARDS IDENTIFICATION**

Classification in accordance with Schedule 1 of Canada's Hazardous Products Regulations (HPR) (SOR/2015-17) and paragraph (d) of 29 CFR 1910.1200 in the United States

None needed according to classification criteria.

**GHS Label Elements** 

Symbol(s)

None needed according to classification criteria.

Signal Word

None needed according to classification criteria

**Hazard Statement(s)** 

None needed according to classification criteria.

**Precautionary Statement(s)** 

Prevention

None needed according to classification criteria.

## Material Name: ArmaKleen 4 in 1 Cleaner - Cleaning Solution

### Response

None needed according to classification criteria.

#### Storage

None needed according to classification criteria. Do not store below 40°F (4.4°C).

### **Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Other hazards

Repeated exposure may cause skin dryness or cracking. Contact with heated material may cause serious thermal burns.

SDS ID: 820070

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent	
7732-18-5	Water	93-99	
124-07-2	Octanoic Acid	0.25-0.27	
68439-46-3	Alcohols, C9-11, ethoxylated	0.19-0.21	
68987-81-5	Alcohols, C6-10, ethoxylated and propoxylated	0.14-0.16	
61791-26-2	Amines, tallow, alkyl, ethoxylated	0.14-0.16	

## **Section 4 - FIRST AID MEASURES**

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention, if needed.

#### Skin

IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation occurs: Call a POISON CENTER or doctor. For thermal burns caused by contact with hot product, remove affected clothing and shoes. Wash skin thoroughly with cool water. Apply cool-packs or ice.

#### **Eyes**

IF IN EYES: If irritation or redness from exposure to vapor or mist develops, move away from exposure and rinse cautiously with water for 5 minutes. Upon direct contact with liquid, immediately flush eyes with plenty of lukewarm water, holding eyelids apart, for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

#### **Ingestion**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor

## **Most Important Symptoms/Effects**

#### Acute

Contact with heated product can cause severe burns to the eyes and skin and can result in permanent eye damage.

#### Delayed

Repeated exposure may cause skin dryness or cracking.

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Page 2 of 8 Rev. 05/21

# **Section 5 - FIRE FIGHTING MEASURES**

SDS ID: 820070

### **Extinguishing Media**

## **Suitable Extinguishing Media**

Use extinguishing agents appropriate for surrounding fire.

#### **Unsuitable Extinguishing Media**

Do not use high-pressure water streams. Avoid using a direct stream of water.

#### **Special Hazards Arising from the Chemical**

Heated material may cause thermal burns.

#### **Hazardous Combustion Products**

Burning may produce oxides of carbon.

## Advice for firefighters

Containers may rupture if heated or exposed to continual naked flame.

## **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Keep storage containers cool with water spray. "Empty" containers may retain residue and can be dangerous. Product is not sensitive to mechanical impact or static discharge.

## **Special Protective Equipment and Precautions for Firefighters**

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

## **Section 6 - ACCIDENTAL RELEASE MEASURES**

## Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Avoid release to the environment.

# Methods and Materials for Containment and Cleaning Up

Spilled product is slippery. Do not touch or walk through spilled product. Keep unnecessary and unprotected personnel from entering. Ventilate area and avoid breathing vapor or mist. Contain spill away from surface water and sewers. Contain spill as a liquid for possible recovery, or sorb with compatible sorbent material and shovel with a clean tool into a sealable container for disposal. Additionally, for large spills: Dike far ahead of liquid spill for collection and later disposal.

## Section 7 - HANDLING AND STORAGE

### **Precautions for Safe Handling**

Keep away from naked flame. Do not breathe dust or vapors. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling.

# Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Do not store below 40°F (4.4°C). Keep container tightly closed when not in use and during transport. Store containers in a cool, dry place. Do not pressurize, cut, weld, braze, solder, drill, or grind containers. Keep containers away from naked flame. Empty product containers may retain product residue and can be dangerous.

## **Incompatible Materials**

Oxidizers, reducing agents, acids.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Component Exposure Limits**

Canada and ACGIH have not developed exposure limits for any of this product's components.

Page 3 of 8 Rev. 05/21

Material Name: ArmaKleen 4 in 1 Cleaner – Cleaning Solution

## ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

## **Engineering Controls**

Provide general ventilation. Where adequate general ventilation is unavailable, use process enclosures, local exhaust ventilation, or other engineering controls.

SDS ID: 820070

# Individual Protection Measures, such as Personal Protective Equipment

## Eye/face protection

Wear safety glasses. Additional protection like goggles, face shields, or respirators may be needed dependent upon anticipated use and concentrations of mists or vapors. Eye wash fountain and emergency showers are recommended. Contact lens use is not recommended.

#### **Respiratory Protection**

A respiratory protection program which meets USA's OSHA General Industry Standard 29 CFR 1910.134 or Canada's CSA Standard Z94.4-M1982 requirements must be followed whenever workplace conditions warrant a respirator's use. Consult a qualified Industrial Hygienist or Safety Professional for respirator selection guidance.

## **Skin Protection/Glove Recommendations**

Where skin contact is likely, wear gloves impervious to product; use of natural rubber (latex) or equivalent gloves is not recommended. To avoid prolonged or repeated contact where spills and splashes are likely, wear appropriate chemical-resistant face shield, boots, apron, whole body suits or other protective clothing. When product is heated and skin contact is likely, wear heat-resistant gloves, boots, and other protective clothing.

#### **Protective Materials**

Personal protective equipment should be selected based upon the conditions under which this material is used. A hazard assessment of the work area for PPE requirements should be conducted by a qualified professional pursuant to regulatory requirements. The following PPE should be considered the minimum required: Safety glasses, Gloves, and Lab coat or apron.

## **Section 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Clear, amber liquid	Physical State	Liquid
Odor	Mild	Color	Milky white
Odor Threshold	Not available	рН	2.5% Solution: 10.4 5% Solution: 10.5 10% Solution: 11.0
<b>Melting Point</b>	0 °C (32°F)	<b>Boiling Point</b>	100 °C (212°F)
<b>Boiling Point Range</b>	Not available	Freezing point	Not available
<b>Evaporation Rate</b>	<1 (butyl acetate = 1)	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	>100 °C (212°F)
<b>Lower Explosive Limit</b>	Not available	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	Not available	Vapor Pressure	17.5 mm Hg @ 20 °C (approx.)
Vapor Density (air=1)	<1 (Air)	Specific Gravity (water=1)	1.005
Water Solubility	(complete)	Partition coefficient: n-octanol/water	Not available

Page 4 of 8 Rev. 05/21

## Material Name: ArmaKleen 4 in 1 Cleaner - Cleaning Solution

ViscosityNot availablePhysical FormLiquid.Solubility (Other)Not availableDensity0.9

Molecular Weight Not available

2.5% Solution 0.51 WT%; 0.044 LB/US gal; 5.25 g/L; As per 40 CFR Part 51.100(s) 5.0% Solution 1.02 WT%; 0.088 LB/US gal; 10.5 g/L; As per 40 CFR Part 51.100(s) 2.04 WT%; 0.175 LB/US gal; 21g/L; As per 40 CFR Part 51.100(s)

Product Vapor Pressure @20°C = 17.5 mmHg VOC Content is less than 25 grams/liter:

Volatile Organic Compounds (As regulated)

This solution is explicitly listed as either an "exempted" or a "Clean Air Solvent" by the South

Coast Air Quality Management District (SCAQMD) because it does not contain reactive volatile organic compounds (VOCs) that can react with sunlight and nitrogen-dioxides to create ground-based ozone (smog). Consult with your state/local air pollution control agency and their

SDS ID: 820070

rules/regulations for specific direction in your specific area. www.agmd.gov

# **Section 10 - STABILITY AND REACTIVITY**

### Reactivity

Stable under normal conditions.

### **Chemical Stability**

Stable under normal temperatures and pressures.

### **Possibility of Hazardous Reactions**

Polymerization is not known to occur under normal temperatures and pressures. Not reactive with water.

#### **Conditions to Avoid**

Avoid naked flame and direct sunlight.

#### **Incompatible Materials**

Oxidizers, acids, reducing agents.

#### Hazardous decomposition products

None under normal temperatures and pressures.

## Thermal decomposition products

Oxides of carbon.

## **Section 11 - TOXICOLOGICAL INFORMATION**

#### Information on Likely Routes of Exposure

## Inhalation

May cause respiratory irritation.

#### **Skin Contact**

May cause skin irritation. Repeated exposure may cause skin dryness or cracking. Contact with heated material may cause serious thermal burns.

#### **Eye Contact**

May cause eye irritation.

#### Ingestion

Large amounts may cause gastrointestinal disturbances.

## **Acute and Chronic Toxicity**

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

Page 5 of 8 Rev. 05/21

SDS ID: 820070

## Material Name: ArmaKleen 4 in 1 Cleaner - Cleaning Solution

### **Product Toxicity Data**

### **Acute Toxicity Estimate**

No data available.

#### **Immediate Effects**

May cause skin, eye, and respiratory irritation.

### **Delayed Effects**

Repeated exposure may cause skin dryness or cracking.

#### Irritation/Corrosivity Data

May cause skin irritation. Contact with heated material may cause serious thermal burns.

## **Respiratory Sensitization**

Based on best current information, there is no known human sensitization associated with this product.

#### **Dermal Sensitization**

No information on significant adverse effects.

#### **Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

## **Germ Cell Mutagenicity**

No information available for the product.

#### **Tumorigenic Data**

No data available

#### Reproductive Toxicity

No information available for the product.

### **Specific Target Organ Toxicity - Single Exposure**

No information on significant adverse effects.

# **Specific Target Organ Toxicity - Repeated Exposure**

No information on significant adverse effects.

## **Aspiration hazard**

No information available for the product.

## **Medical Conditions Aggravated by Exposure**

Individuals with pre-existing respiratory tract (nose, throat, and lungs), eye, and/or skin disorders may have increased susceptibility to the effects of exposure.

## **Section 12 - ECOLOGICAL INFORMATION**

## **Component Analysis - Aquatic Toxicity**

No ecotoxicity data are available for this product's components.

# Persistence and Degradability

No information available for the product.

#### **Bioaccumulative Potential**

No information available for the product.

#### **Mobility**

No information available for the product.

## Other Toxicity

No additional information is available.

#### Section 13 - DISPOSAL CONSIDERATIONS

#### **Disposal Methods**

Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste. Contact ArmaKleen regarding proper recycling or disposal.

Page 6 of 8 Rev. 05/21

Material Name: ArmaKleen 4 in 1 Cleaner – Cleaning Solution SDS ID: 820070

# **Section 14 - TRANSPORT INFORMATION**

US DOT Information: Not regulated for transport.
IATA Information: Not regulated for transport.
TDG Information: Not regulated for transport.

**International Bulk Chemical Code** 

This material does not contain any chemicals required by the IBC Code to be identified as dangerous

chemicals in bulk.

## **Section 15 - REGULATORY INFORMATION**

## **Canada Regulations**

## **CEPA - Priority Substances List**

None of this product's components are on the list.

# **Ozone Depleting Substances**

None of this product's components are on the list.

# Council of Ministers of the Environment - Soil Quality Guidelines

None of this product's components are on the list.

## Council of Ministers of the Environment - Water Quality Guidelines

None of this product's components are on the list.

## **U.S. Federal Regulations**

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

#### California

Not listed under California Proposition 65.

### SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories

Acute Health: No Chronic Health: No Fire: No Pressure: No Reactivity: No

## **Section 16 - OTHER INFORMATION**

#### **Other Information**

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR).

# **NFPA Ratings**

Health: 1 Fire: 1 Instability: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

#### **Summary of Changes**

Update to chemical emergency phone number and VOC information.

#### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC – European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for

Page 7 of 8 Rev. 05/21

## Material Name: ArmaKleen 4 in 1 Cleaner - Cleaning Solution

Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG -International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID -International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK -Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne-Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc -Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG -Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

SDS ID: 820070

#### Other Information

## Disclaimer:

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, ArmaKleen assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information or the product to which the information refers. The data contained on this sheet apply to the product as supplied to the user.

Page 8 of 8 Rev. 05/21